

PowerHouse 4GL 8.4xG, PowerHouse Web 8.4xG, Axiant 3.4G Supported Software Environments

Release	Operating System	OS Version	IBM DB2	Microsoft SQL Server	Oracle	Oracle Rdb	SAP Sybase ASE	Indexed File system	Other
8.40G/3.4G Active as of 2010-02-26 Axiant thin client	HP OpenVMS AlphaServer	8.2 8.3 8.4	N/A	N/A	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0) via 10g client	7.1 7.2	N/A	RMS consistent with OS	N/A
	HP OpenVMS Integrity Itanium	8.2-1 8.3-1H1 8.4	N/A	N/A	10g (10.2.0) 11g (11.1.0) via 10g client	7.2	N/A	RMS consistent with OS	N/A
8.41G/3.4G Active as of 2010-02-26 Axiant fat or thin client	Microsoft Windows Intel x86 compatible	Server 2003 R2 Server 2003 R2 x64 XP Pro SP3 Vista ^{See Note 3} Server 2008 Server 2008 x64 Server 2008 R2 Windows 7 ^{See Note 4}	9.1 9.5 9.7	Via ODBC to SQL Server 2000 2005 2008	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0) 11g (11.2.0)	N/A	15.0	Byte Designs DISAM96	Marxmeier Eloquence B.07.10 B.08.00 B.08.10
8.43G/3.4G Active as of 2010-02-26 Axiant thin client	IBM AIX IBM RS/6000 pSeries	5L 5.2 5L 5.3 6.1 7.1	9.1 9.5 9.7	Via DataDirect ODBC 5.2, 5.3, 6.0, 6.1, 7.0 to SQL Server 2000 2005 2008	9i (9.2.0) ^{5.3} 10g (10.1.0) ^{5.3} 10g (10.2.0) 11g (11.1.0) 11g (11.2.0)	N/A	15.0	IBM Informix C-ISAM 7.2.5 7.2.6	N/A
	HP HP-UX HP9000 PA-RISC	11i V1 (64 bit) 11i V2 (64 bit) 11i V3 (64 bit)	9.1 ^{V1, V2}	Via DataDirect ODBC 5.2, 5.3, 6.0, 6.1 to SQL Server 2000 2005 2008	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0) ^{V2, V3} 11g (11.2.0) ^{V2, V3}	N/A	15.0	IBM Informix C-ISAM 7.2.5 7.2.6	Marxmeier Eloquence B.07.10 B.08.00 B.08.10
	HP HP-UX Integrity Itanium	11i V2 (64 bit) 11i V3 (64 bit)	9.1 9.5 9.7	Via DataDirect ODBC 5.2, 5.3, 6.0, 6.1 to SQL Server 2000 2005 2008	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0) 11g (11.2.0)	N/A	15.0	IBM Informix C-ISAM 7.2.5 7.2.6	Marxmeier Eloquence B.07.10 B.08.00 B.08.10
	Oracle Solaris Sun SPARC	8 9 10	9.1 ^{9,10} 9.5 ^{9,10} 9.7 ^{9,10}	Via DataDirect ODBC 5.2, 5.3, 6.0, 6.1 to SQL Server 2000 2005 2008	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0) ^{9,10} 11g (11.2.0) ^{9,10}	N/A	15.0	IBM Informix C-ISAM 7.2.5 7.2.6	N/A
	Linux Intel x86 compatible Red Hat Enterprise Linux AS SUSE Linux Enterprise	4, 5, 6 ^{See Note 1} 10, 11	9.1 9.5 9.7 ^{RH 5} 9.7 ^{SUSE 10,11}	Via DataDirect ODBC 5.2, 5.3, 6.0, 6.1, 7.0 ^{See Note 2} to SQL Server 2000 2005 2008	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0) 11g (11.2.0)	N/A	15.0	Byte Designs DISAM96	Marxmeier Eloquence B.07.10 B.08.00 B.08.10

Superscripts, other than notes, indicate the operating system version where the database is supported.

Note 1: Support for Red Hat Enterprise Linux AS 6 requires build 3350.41 or greater.

Note 2: Support for DataDirect ODBC 7.0 requires build 3350.58 or greater.

Note 3: Support for Microsoft Windows Vista Business, Ultimate, and Professional only.

Note 4: Support for Microsoft Windows 7 Professional, Ultimate, and Enterprise only. Axiant Client may require XP Mode).

PowerHouse 4GL 8.4xF, PowerHouse Web 8.4xF, Axiant 3.4F Supported Software Environments

Release	Operating System	OS Version	IBM DB2	Microsoft SQL Server	Oracle	Oracle Rdb	SAP Sybase ASE	Indexed File system	Other
8.40F/3.4F Inactive as of 2011-04-30 Axiant thin client	HP OpenVMS AlphaServer	8.2 8.3 8.4	N/A	N/A	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0) via 10g client	7.1 7.2	N/A	RMS consistent with OS	N/A
	HP OpenVMS Integrity Itanium	8.2-1 8.3-1H1 8.4	N/A	N/A	10g (10.2.0) 11g (11.1.0) via 10g client	7.2	N/A	RMS consistent with OS	N/A
8.41F/3.4F Inactive as of 2011-04-30 Axiant fat or thin client	Microsoft Windows Intel x86 compatible	2000 SP4 Server 2003 R2 Server 2003 R2 x64 XP Pro SP2/SP3 Vista ^{See Note 1}	8.2 9.1 9.5	Via ODBC to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0)	N/A	12.5 15.0	Byte Designs DISAM96	Marxmeier Eloquence B.07.00 B.07.10
8.43F/3.4F Inactive as of 2011-04-30 Axiant thin client	IBM AIX IBM RS/6000 pSeries	5L 5.2 5L 5.3 6.1	8.2 9.1 9.5 ^{5,3,6.1}	Via DataDirect ODBC 5.2, 5.3 to SQL Server 2000 2005	9i (9.2.0) ^{5,2,5,3} 10g (10.1.0) ^{5,2,5,3} 10g (10.2.0) 11g (11.1.0) ^{5,3,6.1}	N/A	12.5 15.0	IBM Informix C-ISAM 7.2.5	N/A
	HP HP-UX HP9000 PA-RISC	11i V1 (64 bit) 11i V2 (64 bit) 11i V3 (64 bit)	8.2 ^{V1,V2} 9.1 ^{V2}	Via DataDirect ODBC 5.2, 5.3 to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0) ^{V2, V3}	N/A	12.5 ^{V1,V2} 15.0 ^{V1,V2}	IBM Informix C-ISAM 7.2.5	Marxmeier Eloquence B.07.00 B.07.10
	HP HP-UX Integrity Itanium	11i V2 (64 bit) 11i V3 (64 bit)	8.2 ^{V2} 9.1 9.5	Via DataDirect ODBC 5.2, 5.3 to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0)	N/A	12.5 15.0	IBM Informix C-ISAM 7.2.5	Marxmeier Eloquence B.07.00 B.07.10
	Oracle Solaris Sun SPARC	8 (2.8) 9 (2.9) 10	8.2 9.1 ^{9,10} 9.5 ^{9,10}	Via DataDirect ODBC 5.2, 5.3 to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0)	N/A	12.5 15.0	IBM Informix C-ISAM 7.2.5	N/A
	Linux Intel x86 compatible Red Hat Enterprise Linux AS SUSE Linux Enterprise	 4, 5 10	 8.2 9.1 9.5	Via DataDirect ODBC 5.2, 5.3 to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0) 11g (11.1.0)	N/A	12.5 15.0	Byte Designs DISAM96	Marxmeier Eloquence B.07.10
8.49F/3.4F Vintage Support as of 2010-12-31 Axiant thin client	HP MPE/iX Hpe3000	6.5 Express 2 7.0 (Patches FRILXX7A and MPELXV8C) 7.5 (PowerPatch 1)	N/A	N/A	N/A	N/A	N/A	CM KSAM Native Mode KSAM XL consistent with OS	IMAGE Consistent with OS ALLBASE/SQL G3.15

Superscripts, other than notes, indicate the operating system version where the database is supported.

Note 1: Support for Microsoft Windows Vista Business, Ultimate, and Professional only.

PowerHouse 4GL 8.4xE, PowerHouse Web 8.4xE, Axiant 3.4E Supported Software Environments

Release	Operating System	OS Version	IBM DB2	Microsoft SQL Server	Oracle	Oracle Rdb	SAP Sybase ASE	Indexed File system	Other
8.40E/3.4E Inactive as of 2010-01-06 Axiant thin client	HP OpenVMS AlphaServer	7.3-2 8.2 8.3	N/A	N/A	9i (9.2.0) 10g (10.1.0) ^{8.2,8.3} 10g (10.2.0) ^{8.2,8.3}	7.1 7.2 ^{8.2,8.3}	N/A	RMS consistent with OS	N/A
	HP OpenVMS Integrity Itanium	8.2-1 8.3	N/A	N/A	10g (10.2.0)	7.2	N/A	RMS consistent with OS	N/A
8.41E/3.4E Inactive as of 2010-01-06 Axiant fat or thin client	Microsoft Windows Intel x86 compatible	2000 SP4 Server 2003 R2 Server 2003 R2 x64 XP Pro SP2/SP3	8.2 9 via 8.2 client	Via ODBC to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.5 15.0	Byte Designs DISAM96	Marxmeier Eloquence B.07.00 B.07.10
8.43E/3.4E Inactive as of 2010-01-06 Axiant thin client	IBM AIX IBM RS/6000 pSeries	5L 5.2 5L 5.3 6.1	8.2 9 via 8.2 client	Via DataDirect ODBC 5.1, 5.2 to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.5 15.0	IBM Informix C-ISAM 7.2.5	N/A
	HP HP-UX HP9000 PA-RISC	11i V1 (64 bit) 11i V2 (64 bit) 11i V3 (64 bit)	8.2 ^{V1,V2} 9 via 8.2 client	Via DataDirect ODBC 5.1, 5.2 to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.5 ^{V1,V2} 15.0 ^{V1,V2}	IBM Informix C-ISAM 7.2.5	Marxmeier Eloquence B.07.00 B.07.10
	HP HP-UX Integrity Itanium	11i V2 (64 bit) 11i V3 (64 bit)	8.2 ^{V2} 9 via 8.2 client	Via DataDirect ODBC 5.1, 5.2 to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.5 15.0	IBM Informix C-ISAM 7.2.5	Marxmeier Eloquence B.07.00 B.07.10
	Oracle Solaris Sun SPARC	8 (2.8) 9 (2.9) 10	8.2 9 via 8.2 client	Via DataDirect ODBC 5.1, 5.2 to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.5 15.0	IBM Informix C-ISAM 7.2.5	N/A
	Linux Intel x86 compatible Red Hat Enterprise Linux AS SUSE Linux Enterprise	4 10	8.2 9 via 8.2 client	Via DataDirect ODBC 5.2, 5.3 to SQL Server 2000 2005	9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.5 15.0	Byte Designs DISAM96	Marxmeier Eloquence B.07.10
8.49E/3.4E Inactive as of 2010-01-06 Axiant thin client	HP MPE/iX HPe3000	6.5 Express 2 7.0 (Patches FRILXX7A and MPELV8C) 7.5 (PowerPatch 1)	N/A	N/A	N/A	N/A	N/A	CM KSAM Native Mode KSAM XL consistent with OS	IMAGE Consistent with OS ALLBASE/SQL G3.15

Superscripts, other than notes, indicate the operating system version where the database is supported.

PowerHouse 4GL 8.4xD1, PowerHouse Web 8.4xD1, Axiant 3.4D1 Supported Software Environments

Release	Operating System	OS Version	IBM DB2	Microsoft SQL Server	Oracle	Oracle Rdb	SAP Sybase ASE	Indexed File system	Other
8.40D1/3.4D1 Inactive as of 2008-06-28 Axiant thin client	HP OpenVMS AlphaServer	7.2-2 7.3 8.2	N/A	N/A	8i (8.1.7) 9i (9.0.1) 9i (9.2.0) ^{7.3} 10g (10.1.0) ^{7.3} via 9i (9.2.0.5) client	7.0.6 7.1 7.2 ^{8.2}	N/A	RMS consistent with OS	N/A
	HP OpenVMS Integrity Itanium	8.2-1	N/A	N/A	N/A	7.2	N/A	RMS consistent with OS	N/A
8.41D1/3.4D1 Inactive as of 2008-06-28 Axiant fat or thin client	Microsoft Windows Intel x86 compatible	2000 SP4 Server 2003 R1 Server 2003 R2 XP Pro SP2	7.2 8.2	Via ODBC to SQL Server 7.0 2000 2005 via SQL Server 2000 ODBC driver	8i (8.1.7) 9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.0 (CTLib) 12.5 15.0 via 12.5 client	Byte Designs DISAM96	Marxmeier Eloquence B.07.00 B.07.10
8.43D1/3.4D1 Inactive as of 2008-06-28 Axiant thin client	IBM AIX IBM RS/6000 pSeries	5L 5.1 (64 bit) 5L 5.2 (64 bit) 5L 5.3 (64 bit)	7.2 8.2	Via DataDirect ODBC 5.0 to SQL Server 2000	8i (8.1.7) 9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.0 (CTLib) 12.5 (CTLib) 15.0 via 12.5 client	IBM Informix C-ISAM 7.2.5	N/A
	HP HP-UX HP9000 PA-RISC	11.0 (32 bit) 11i V1 (64 bit) 11i V2 (64 bit)	7.2 8.2	Via DataDirect ODBC 5.0 to SQL Server 2000	8i (8.1.7) 9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.0 (CTLib) 12.5 (CTLib) 15.0 via 12.5 client	IBM Informix C-ISAM 7.2.5	ALLBASE/SQL G3.14 Marxmeier Eloquence B.07.00 B.07.10
	HP HP-UX Integrity Itanium	11i V2 (64 bit)	8.2	Via DataDirect ODBC 5.0 to SQL Server 2000	9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.5 (CTLib) 15.0 via 12.5 client	IBM Informix C-ISAM 7.2.5	Marxmeier Eloquence B.07.00 B.07.10
	Oracle Solaris Sun SPARC	8 (2.8) 9 (2.9) 10	7.2 8.2	Via DataDirect ODBC 5.0 to SQL Server 2000	8i (8.1.7) 9i (9.2.0) 10g (10.1.0) 10g (10.2.0)	N/A	12.0 (CTLib) 12.5 (CTLib) 15.0 via 12.5 client	IBM Informix C-ISAM 7.2.5	N/A
8.49D1/3.4D1 Inactive as of 2008-06-28 Axiant thin client	HP MPE/iX HPe3000	6.5 Express 2 7.0 (Patches FRILXX7A and MPELV8C) 7.5 (PowerPatch 1)	N/A	N/A	N/A	N/A	N/A	CM KSAM Native Mode KSAM XL consistent with OS	IMAGE Consistent with OS ALLBASE/SQL G3.15

Superscripts, other than notes, indicate the operating system version where the database is supported.

PowerHouse 4GL 8.30D, Axiant 3.1 Supported Software Environments

Release	Operating System	OS Version	IBM DB2	Microsoft SQL Server	Oracle	Oracle Rdb	Sybase SQL Server	Indexed File system	Other
8.30D/3.1 Vintage Support as of 2005-02-28 Axiant thin client	HP OpenVMS VAX	6.2 7.1 7.2 7.3	N/A	N/A	7.1.5.2.3 7.2 7.3 8.0 8.1	6.1 7.0 7.1.5	10.0.2 11	RMS Consistent with OS	N/A

PowerHouse 4GL 6.07F Supported Software Environments

Release	Operating System	OS Version	IBM DB2	Microsoft SQL Server	Oracle	Oracle Rdb	Sybase SQL Server	Indexed File system	Other
6.07F Vintage Support as of 2005-02-28	IBM OS/400 AS/400 iSeries	V3R1 V4R1, R2, R3, R4, R5 V5R1, R2, R3, R4	N/A	N/A	N/A	N/a	N/A	N/A	N/A